




Waldhornstrasse 12
D-88662 Überlingen
Fon: +49 (0) 7551.1234
Fon: +49 (0) 7551.4444
Fax: +49 (0) 7551.918888
www.winkler-technik.com

Winkler Technik





SW-Clamp

for an easy and quick fastening of all
established pipes of 14 - 35 mm diameter (1/2" - 1 1/4")
on a wall or a ceiling





- temperature resistance: - 30 ° to + 85 ° C
- surface UV-proof
- connector system combinable with all sizes
(exception: SW32W)




Subject to technical changes KG 11.25/03

- bracket
for mounting 2 SW-clamps
up to max. SW 20



- SW-clamps of different sizes
can be joined together to as
many as you like



Technical Data

item No.	for tubing OD	colour	material	packing unit	weight approx.
SW15W	14.0 - 16.5 mm (1/2")	white (other colours on request)	polyamide	100 / box	0.6 kg (1.3 lbs.)
SW17W	16.5 - 19.5 mm (5/8")			100 / box	0.8 kg (1.8 lbs.)
SW20W	19.5 - 24.0 mm (3/4")			50 / box	0.4 kg (0.9 lb.)
SW25W	24.2 - 28.0 mm (1")			50 / box	0.5 kg (1.1 lbs.)
SW32W	31.2 - 35.8 mm (1 1/4")			50 / box	0.8 kg (1.8 lbs.)

Accessories :

Bracket for mounting:

CH-Duo 2050 for mounting 2 SW-clamps up to
max. SW 20, 100 / box, 1,200 / carton - 8.6 kg (18.9 lbs.)

Thread insert (at one's option)

M6 (CHM6) 100 / box, 1,000 / carton 0.9 kg (2,0 lbs.)

M8 (CHM8) 100 / box, 1,000 / carton 0.8 kg (1.8 lbs.)

Metal-adapter for thread

M 10 (CHM10AD) 50 / box, 500 / carton 5.5 kg (12.1 lbs.)