

Winkler Technik




Waldhornstraße 12 · D-88662 Überlingen

Fon: +49 (0) 7551 44 44 · Fax +49 (0) 7551 91 88 88

www.winkler-technik.com

INNOVATIVE FIXING
TECHNOLOGY FOR
UNDERFLOOR-HEATING
AND COOLING SYSTEMS



Index

ABOUT US
PAGE 4-6

THE TEAM
PAGE 7-8

LAYING SYSTEMS
PAGE 29

CONTACT SALES
PAGE 30



U-RAILS PAGE 9 - 13



HOLDING PINS PAGE 14



CLIPS PAGE 15 - 16



PLASTIC BEND PAGE 17 - 18



TACKER TOOLS PAGE 19



STAPLES PAGE 20



SW - CLAMP PAGE 21



WINKLER RIDER SYSTEM PAGE 22



90° ELBOWS PAGE 22



ESCUTCHEONS PAGE 23



FASTENING HOOK PAGE 24




PLASTIC NAIL PAGE 25



HOLD-DOWN-DOWEL PAGE 25



FASTENING HOOKS PAGE 26



MISCELLANEOUS PAGE 27 - 28

About us

Winkler Technik GmbH is the world market leader in innovative mounting systems for surface temperature control systems. Wherever underfloor or wall heating is installed, fixing technologies from our range is very likely to be used. Installers also prefer to use our products when building snow melting systems for garage entrances, grass heating systems for football stadiums or heating systems for aircraft runways.

Highest quality

There is a good reason for this: Our products, manufactured in Germany and Switzerland, meet the highest quality standards. In addition, we cover all needs in terms of fastening technology for surface temperature control with our comprehensive range. Our products include, among others:

- mounting rails for various tube dimensions
- rail fixings and suitable fixing tools
- staple systems
- clips for the tube fixing
- plastic bend supports and 90° elbows

Innovation as the basis for success

Our company looks back on a history of more than 100 years, thanks to which we have an enormous wealth of knowledge and experience. The great-grandfather of the current generation of entrepreneurs, Adolf Winkler, was already active in the field of surface temperature control with his locksmith's shop founded in Berlin in 1904. His son Alfred revolutionised underfloor heating in 1962 with a new type of plastic pipe.

The innovator gene jumped over to the next generation: Wolfram Winkler focused on improving fastening technology. To this end, the graduate engineer with a doctorate in sales psychology founded today's Winkler Technik GmbH with his wife, Erika Winkler, in 1977. Among other things, he developed the U-rail and was responsible for the registration of numerous patents.

Focus on the customer

Today, the fourth generation is at the helm of our family business. Also, under the leadership of Alexander Winkler and his wife Veronika, innovation is a central pillar of our company's success. In 2011 and 2018, we were named one of the most innovative companies in Germany in the highly regarded TOP 100 competition. The last two decades have been characterised by solid growth. We are active in more than 30 countries and cooperate with various industry partners.

However, the customer remains at the centre of everything we do. To satisfy the needs of our clientele, we do our best every day. Our core values are quality, reliability, honesty, respect and fairness. We are happy to be measured against this. Because what we do, we do with passion and conviction. We are here for you!



Alexander Winkler
Chief Executive Officer (CEO)



Veronika Winkler
Chief Executive Officer (CEO)


Wherever you are, so are we. Worldwide.

Winkler Technik is out in the field: on the building site and also at the biggest trade shows in the world. Patented solutions for underfloor-heating and cooling, and more.

We maintain a presence in our core markets and offer our customers the service, know-how and implementation they need.

Promptly.

On schedule.



The innovative flair of the company founders and their successors still characterizes the company's prestige even today. Thus Winkler Technik registered five new patents in 2007 alone.

Winkler Technik was awarded the quality seal „Top 100“ as one of the most innovative medium-sized companies in Germany in 2011, the „Wachstums-Champion 2013“ (growth Champion) in 2013 and the „National Champion 2016/17“ for Germany in the „European Business Awards“.

In 2018, we were again awarded the „TOP 100“ quality seal.

In 2021, we were certified by "Great Place To Work" as an „attractive employer“. We received an award „Arbeitgeber der Zukunft“ (employer of the future) in 2023.



The Winkler Technik Team



Alexander Winkler
Chief Executive Officer (CEO)



Veronika Winkler
Executive Officer (CEO)



Heike Flesch
Sales Team Member



Anita Müller
Export Team Member



Anatol Stein
Sales Team Member



Manuela Probst
Office Team Member



Bernd Picker
Sales Team Member



Michele Stadler
Export Team Member



Dirk Baur
Export Team Member

The Winkler Technik Team



Beate Walz
Export Team Member



Kristine Schatz
Logistic Team Member



Margit Donzi
Export Team Member



Martin Voigt
Logistic Team Member



Elena Winkler
Dual Student




Timo Sproll
Financial Team Member

Mounting Rails

Mounting Rails for a gently holding of the tubes on different surfaces like insulation boards, concrete, wood and also on soil.

The rail is very suitable for installation on large-areas for example lawn heating in stadiums.



Information on the Mounting Rails:

- different rails are available for tubes with an OD of 8 - 25 mm (1/4" - 1")
- all rails are available with adhesive tape
- tube distances from 25 - 100 mm (1" - 4")
- length of the rails 2 m (6 1/2 ft), other lengths on request



article no. 3010T

3010TK (with adhesive tape)
for tubes with an OD 10 mm
length of the rails: 2 m (6 1/2 ft)
packing: 896 m / pallet (2,940 ft)
28 bundles à 32 m (105 ft)



article no. 3012T

3012TK (with adhesive tape)
for tubes with an OD 12 mm
length of the rails: 2 m (6 1/2 ft)
packing: 896 m / pallet (2,940 ft)
28 bundles à 32 m (105 ft)



article no. 4014T25

4014TK25 (with adhesive tape)
for tubes with an OD 14 mm
length of the rails: 2 m (6 1/2 ft)
packing: 896 m / pallet (2,940 ft)
28 bundles à 32 m (105 ft)



article no. 4016T

4016TK (with adhesive tape)
for tubes with an OD 16 mm (1/2")
length of the rails: 2 m (6 1/2 ft)
packing: 896 m / pallet (2,940 ft)
28 bundles à 32 m (105 ft)




article no. 4017T

4017TK (with adhesive tape)
for tubes with an OD 17 mm
length of the rails: 2 m (6 1/2 ft)
packing: 896 m / pallet (2,940 ft)
28 bundles à 32 m (105 ft)



article no. 4018T

4018TK (with adhesive tape)
for tubes with an OD 18 mm (5/8")
length of the rails: 2 m (6 1/2 ft)
packing: 896 m / pallet (2,940 ft)
28 bundles à 32 m (105 ft)



article no. ZS1617T

ZS1617TK (with adhesive tape)
 for tubes with an OD 16/17 mm (1/2")
 length of the rails: 2 m (6 1/2 ft)
 packing: 896 m / pallet (2,940 ft)
 28 bundles à 32 m (105 ft)



article no. ZS20T

ZS20TK (with adhesive tape)
 for tubes with an OD 20 mm
 length of the rails: 2 m (6 1/2 ft)
 packing: 896 m / pallet (2,940 ft)
 28 bundles à 32 m (105 ft)



article no. 51617T25

51617TK25 (with adhesive tape)
 for tubes with an OD 16/17 mm (1/2")
 length of the rails: 2 m (6 1/2 ft)
 packing: 896 m / pallet (2,940 ft)
 28 bundles à 32 m (105 ft)



article no. 5020

5020TK (with adhesive tape)
 for tubes with an OD 20 mm
 length of the rails: 2 m (6 1/2 ft)
 packing: 896 m / pallet (2,940 ft)
 28 bundles à 32 m (105 ft)



article no. 5022T

5022TK (with adhesive tape)
 for tubes with an OD 22 mm (3/4")
 length of the rails: 2 m (6 1/2 ft)
 packing: 896 m / pallet (2,940 ft)
 28 bundles à 32 m (105 ft)



article no. 5025T

(with tube distance 50 mm (2") or 100 mm (4") available)
 for tubes with an OD 25 mm
 length of the rails: 4 m (13 ft)
 packing: 1,600 m / pallet (5,248 ft)
 25 bundles à 64 m (210 ft)

JetRail JR1417 JetRail JR812



The rail is designed with a safety tongue which avoids the sliding out of the tube

article no. JR812T

JR812TK (with adhesive tape)

for tubing OD 8 - 10 mm (1/4" - 3/8"); tube distance 50 mm (2"); width 35 mm (13/8"); height 18 mm (6/8")
 rail length: 2 m (6 1/2") (other lengths on request)
 packing: 960 m (3,149 ft) / pallet (24 bundles à 40 m)

article no. JR1417T

JR1417TK (with adhesive tape)

for tubing OD 14 - 17 mm (1/2"); tube distance 50 mm (2"); width 45 mm (1 3/4"); height 31 mm (11/4")
 rail length: 2 m (6 1/2") (other lengths on request)
 packing: 960 m (3,149 ft) / pallet (30 bundles à 32 m)

FlipRail XCS16-17W



article no. XCS1617W

XCS1617WS (with hinge)

for tubing OD 16 - 17 mm (1/2"); tube distance 50 mm (2"); width 30 mm (1 2/8"); height 22 mm (7/8")
 rail length: 1 m (3 1/4 ft)
 packing: 1,600 m (5,248 ft) / pallet (160 bundles à 10 m)

Clip-Rails

for fastening of tubes for wall- or underfloor-heating



OSK1222 (with adhesive tape)
 OSW1222 (with barbed hooks)
 for tubes with an OD 12 - 22 mm (3/8" - 3/4") (also oval tubing)
 length of the rails: 1 m (3 1/4")
 packing 100 m / carton (328 ft)



PSK1217 (with adhesive tape)
 for tubes with an OD 12 - 17 mm (3/8" - 1/2")
 length of the rails: 1 m (3 1/4") or 2 m (6 1/2")
 packing: 100 m / carton (328 ft)

Holding Pins

for fastening of all Winkler Rails, foils and tube bends on insulation



length: 39 mm (1 1/2")
 for tubing OD up to 20 mm (5/8")
 set by: hand
 packing:
 500 pieces/bag
 5,000 pieces/carton




length: 46 mm (1 3/4")
 for tubing OD up to 20 mm (5/8")
 set by: hand
 packing:
 500 pieces/bag
 5,000 pieces/carton



length: 61 mm (2 3/8")
 for tubing OD up to 20 mm (5/8")
 set by: hand
 packing:
 500 pieces/bag
 5,000 pieces/carton




length: 52 mm (2")
 for tubing OD up to 26 mm (3/4")
 set by: hand
 packing:
 100 pieces/bag
 1,000 pieces/carton



length: 39 mm (1 1/2")
 for tubing OD up to 20 mm (5/8")
 set by: WinkPin tool
 packing:
 250 pieces/carton
 in magazines of 25 pieces each



length: 47 mm (1 7/8")
 for tubing OD up to 20 mm (5/8")
 set by: WinkPin tool
 packing:
 250 pieces/carton
 in magazines of 25 pieces each



length: 62 mm (2 1/2")
 for tubing OD up to 20 mm (5/8")
 set by: WinkPin tool
 packing:
 250 pieces/carton
 in magazines of 25 pieces each



article no. WKP
 fixing tool for WPN40, WPN50
 and WPN60
 packing:
 1 piece/carton

Clips

for fastening of tubes on wire mesh



article no. 1622

for tubing OD 16 - 20 mm (1/2" - 5/8")
 for wire diameter 3 - 4,5 mm (1/8" - 3/16")
 packing: 1,000 pieces/carton

article no. 1725PP-3

for tubing OD 17 - 25 mm (5/8" - 3/4")
 for wire diameter 3 mm (1/8")
 packing: 1,000 pieces/carton

article no. 1725PP-4

for tubing OD 17 - 25 mm (5/8" - 3/4")
 for wire diameter 4 mm (3/16")
 packing: 1,000 pieces/carton

article no. 1725PP-5

for tubing OD 17 - 25 mm (5/8" - 3/4")
 for wire diameter 5 mm (13/64")
 packing: 1,000 pieces/carton

article no. 1725PP-6

for tubing OD 17 - 25 mm (5/8" - 3/4")
 for wire diameter 6 mm (1/4")
 packing: 1,000 pieces/carton

article no. 1725PP-8

for tubing OD 17 - 25 mm (5/8" - 3/4")
 for wire diameter 8 mm (5/16")
 packing: 1,000 pieces/carton



article no. SC3

for tubing OD 16 - 20 mm (1/2" - 5/8")
 for wire diameter 3 mm (1/8")
 packing: 1,000 pieces/carton



article no. IF2026

for tubing OD 20 - 26 mm (5/8" - 3/4")
 for wire diameter 3 - 8 mm (1/8" - 5/16")
 packing: 1,300 pieces/carton

article no. SC4

for tubing OD 16 - 20 mm (1/2" - 5/8")
 for wire diameter 4 mm (3/16")
 packing: 1,000 pieces/carton

MidiClip

Fast mounting of the clip with a setting tool.
Variable wire mesh and installation distances
due to mounting on the cross wire and cross
points.

Holding force of tube bends approx. 30 %
higher compared to other systems.



MidiClip

article no. MDC1617
for wire mesh with an OD 3 mm (1/8")
for tubes with an OD 16 - 17 mm (1/2")
packing: 400 pieces/carton
in magazines à 8 pieces



Mounting Tool for MDC1617

article no. MDS1617
length: approx. 93 cm
capacity in magazine approx. 40 pieces
packing: 1 piece/carton

Plastic Bend Support

The neat solution below the manifold



A solution made of plastic for professionals. No corrosion, no sharp edges or burrs. The Plastic Bend Support is also available with center mounting ear (WSKO)



article no. WSK812

for tubes with an OD 8 - 10 mm
 (12 mm) (3/8")
 packing:
 50 pieces/bag
 500 pieces/carton



article no. WSK1017

for tubes with an OD 10 - 16 mm
 (17mm) (3/8" - 1/2")
 packing:
 50 pieces/bag
 500 pieces/carton



article no. WSK1618

for tubes with an OD 16 - 18 mm
 (1/2")
 packing:
 50 pieces/bag
 500 pieces/carton



article no. WSKO1017

with center mounting ears
 for tubes with an OD 10 - 16 mm
 (17mm) (3/8" - 1/2")
 packing:
 50 pieces/bag
 400 pieces/carton



article no. WSKO1618

with center mounting ears
 for tubes with an OD 16 - 18 mm
 (1/2")
 packing:
 50 pieces/bag
 400 pieces/carton



article no. WSK20

for tubes with an OD 20 mm
 (5/8")
 packing:
 50 pieces/carton



article no. WSK23

for tubes with an OD 23 mm
 (3/4")
 packing:
 50 pieces/box



article no. WSK25

for tubes with an OD 25 mm
 (3/4")
 packing:
 50 pieces/box



article no. WSK29

for tubes with an OD 29 mm
 (1")
 packing:
 50 pieces/box



article no. WSK3235

for tubes with an OD 32 - 35 mm
 (1 1/4")
 packing:
 50 pieces/box



article no. WSKO20

with center mounting ears
 for tubes with an OD 20 mm
 (5/8")
 packing:
 50 pieces/box



article no. WSKO23

with center mounting ears
 for tubes with an OD 23 mm
 (3/4")
 packing:
 50 pieces/box



article no. WSKO25

with center mounting ears
 for tubes with an OD 25 mm
 (3/4")
 packing:
 50 pieces/box



article no. WSKO29

with center mounting ears
 for tubes with an OD 29 mm
 (1")
 packing:
 50 pieces/box



article no. WSKO3235

with center mounting ears
 for tubes with an OD 32 - 35 mm
 (1 1/4")
 packing:
 50 pieces/box

Tacker Tools

for fastening of tubes on insulation



article no. TAEKOMBI

suitable for staple
E2/E2L
packing: 1 piece/carton



article no. TAKOMBI

suitable for staple
R1PP/R1PPL /R2
packing: 1 piece/carton



article no. TASN1417

suitable for staple
R2K
packing: 1 piece/carton



article no. TAC0312

suitable for staple
C0312
packing: 1 piece/carton



article no. TA-ELITE

suitable for staple
S1720GE, R2GE, PANPPLGE
packing: 1 piece/carton



article no. TAE-Elite

suitable for staple
E2GE, E2LGE
packing: 1 piece/carton

Staples


for fastening of tubes on insulation




article no. E2GE
 for tubes with an OD
 16 - 20 mm (1/2" - 5/8")
 length: 39 mm (1 1/2")
 packing:
 1,000 pieces/carton
 in magazines à 20 pieces each




article no. E2LGE
 for tubes with an OD
 16 - 20 mm (1/2" - 5/8")
 length: 54 mm (2 1/8")
 packing:
 300 pieces/box
 in magazines à 20 pieces each



for tubes with an OD
 16 - 20 mm (1/2" - 5/8")
 length: 38 mm (1 4/8")
 packing:
 300 pieces/box
 6,000 pieces/carton
 in magazines à 30 pieces each



for tubes with an OD
 16 - 20 mm (1/2" - 5/8")
 length: 54 mm (2 1/8")
 packing:
 300 pieces/box
 in magazines à 30 pieces each



article no. R2GE
 for tubes with an OD
 16 - 20 mm (1/2" - 5/8")
 length: 39 mm (1 1/2")
 packing:
 300 pieces/box
 6,000 pieces/carton
 in magazines à 30 pieces each




for tubes with an OD
 12 - 16 mm (3/8" - 1/2")
 length: 31 mm (12/8")
 packing:
 300 pieces/box
 6,000 pieces/carton
 in magazines à 30 pieces each



for tubes with an OD
 6 - 12 mm (1/4" - 1/2")
 for cables: 3 - 8 mm (1/8" - 5/16")
 length: 26 mm (1")
 packing:
 600 pieces/box
 12,000 pieces/carton
 in magazines à 30 pieces each

SW-Clamp

For easy and quick fastening of all conventional pipes of 14 - 35 mm diameter (1/2" - 1 1/4") on a wall or a ceiling



Temperature resistance: - 30° bis + 85° C
Surface UV-proof

Connector system combinable with all sizes

article no. SW15W

for tubes with an OD
14,0 - 16,5 mm (1/2")
color: white (other colors on request)
packing: 100 pieces/carton

article no. SW17W

for tubes with an OD
16,5 - 19,5 mm (5/8")
color: white (other colors on request)
packing: 100 pieces/carton

article no. SW20W

for tubes with an OD
19,5 - 24,0 mm (3/4")
color: white (other colors on request)
packing: 50 pieces/carton

article no. SW25W

for tubes with an OD
24,2 - 28,0 mm (1")
color: white (other colors on request)
packing: 50 pieces/carton

article no. SW32W

for tubes with an OD
31,2 - 35,8 mm (1 1/4")
color: white (other colors on request)
packing: 50 pieces/carton

Winkler Rider System

installation of tubes on wooden subfloor



article no. WR16

for tubes with an OD up to 18 mm
 (3/8" - 5/8")
 length: 36 mm (1 3/8")
 packing: 500 pieces/carton
 in magazines à 20 pieces



article no. RG

Fastening Tool for WR16
 packing: 1 piece/carton

90° Elbows

conduit elbow for plastic tubing



article no. BG20/26/28

for tubes with an OD up to
 20 mm (5/8")
 inside diameter 26 mm (1")
 outside diameter 28 mm (1 1/8")
 packing: 50 pieces/carton

article no. BG22/34/37

for tubes with an OD up to
 22,2 mm (3/4")
 inside diameter 34 mm (1 3/8")
 outside diameter 37 mm (1 1/2")
 packing: 50 pieces/carton



article no. BGM18/25/28

with socket
 for tubes with an OD up to
 18 mm (1/2")
 inside diameter 25 mm (1")
 outside diameter 28 mm (1 1/8")
 packing: 100 pieces/carton

article no. BGM20/29/32

with socket
 for tubes with an OD up to
 20 mm (5/8")
 inside diameter 29 mm (1 1/8")
 outside diameter 32 mm (1 2/8")
 packing: 100 pieces/carton

Escutcheons

white (other colors on request)

wall and floor trim - easy mounting



article no. ROSW 10

for tubes with an OD 10 mm
 packing: 100 pieces/bag

article no. ROSW 12

for tubes with an OD 12 mm
 packing: 100 pieces/bag

article no. ROSW 14

for tubes with an OD 14 mm
 packing: 100 pieces/bag

article no. ROSW 15

for tubes with an OD 15 mm
 packing: 100 pieces/bag

article no. ROSW 16

for tubes with an OD 16 mm
 packing: 100 pieces/bag

article no. ROSW 3/8"-18

for tubes with an OD 18 mm (3/8")
 packing: 100 pieces/bag

article no. ROSW 20

for tubes with an OD 20 mm
 packing: 100 pieces/bag

article no. ROSW 1/2"-22

for tubes with an OD 22 mm (1/2")
 packing: 100 pieces/bag

article no. ROSW 25

for tubes with an OD 25 mm
 packing: 100 pieces/bag

article no. ROSW 3/4"-28

for tubes with an OD 28 mm (3/4")
 packing: 100 pieces/bag

article no. ROSW 1"-35

for tubes with an OD 35 mm (1")
 packing: 100 pieces/bag

article no. ROSW 1 1/4"-42

for tubes with an OD 42 mm (1 1/4")
 packing: 100 pieces/bag

article no. ROSW 1 1/2"-48,8

for tubes with an OD 48,8 mm (1 1/2")
 packing: 50 pieces/bag

article no. ROSW 2"-60,8

for tubes with an OD 60,8 mm (2")
 packing: 50 pieces/b



article no. HRD_35

tube spacing: 35 mm (1 3/8")
 for tubes with an OD:
 Typ A: 12 (3/8"), 15, 18, 20 (5/8") mm (metal tubes)
 Typ B: 14, 16 (1/2"), 18, 20 (5/8") mm (plastic tubes)
 packing: 50 pieces/bag
 500 pieces/carton

article no. HRD_40

tube spacing: 40 mm (1 9/16")
 for tubes with an OD:
 Typ A: 12 (3/8"), 15, 18, 20 (5/8") mm (metal tubes)
 Typ B: 14, 16 (1/2"), 18, 20 (5/8") mm (plastic tubes)
 packing: 50 pieces/bag
 500 pieces/carton

article no. HRD_45

tube spacing: 45 mm (1 3/4")
 for tubes with an OD:
 Typ A: 12 (3/8"), 15, 18, 20 (5/8") mm (metal tubes)
 Typ B: 14, 16 (1/2"), 18 und 20 (5/8") mm (plastic tubes)
 packing: 50 pieces/bag
 500 pieces/carton

article no. HRD_50

tube spacing: 50 mm (2")
 for tubes with an OD:
 Typ A: 12 (3/8"), 15, 18, 20 (5/8") mm (metal tubes)
 Typ B: 14, 16 (1/2"), 18, 20 (5/8") mm (plastic tubes)
 Typ C: 15 mm
 packing: 50 pieces/bag
 500 pieces/carton

Fastening Hook

for a quick fastening of metal and plastic pipes



for tubes with an OD up to 14 - 17 mm (3/8" - 1/2")
length: 50 mm (1 8/8")
shaft \varnothing 6 mm (1/4")
packing: 1,000 pieces/carton

article no. RH1720

for tubes with an OD up to 17 - 20 mm (1/2" - 5/8")
length: 52 mm (2 3/6")
shaft \varnothing 6 mm (1/4")
packing: 1,000 pieces/carton

article no. RH2226

for tubes with an OD up to 22 - 26 mm (3/4")
length: 54 mm (2 1/8")
shaft \varnothing 6 mm (1/4")
packing: 1,000 pieces/carton

Plastic Nail

for fastening of Winkler Rails on wood, concrete....



article no. KN0608

length: 60 mm (2 3/8")
 shaft OD 8 mm (5/16")
 packing: 100 pieces/bag
 500 pieces/carton

article no. KN0908

length: 90 mm (3 1/2")
 shaft OD 8 mm (5/16")
 packing: 100 pieces/bag
 500 pieces/carton

article no. KN1208

length: 120 mm (4 3/4")
 shaft OD 8 mm (5/16")
 packing: 100 pieces/bag
 500 pieces/carton



article no. KNK0608

with cable tie
 length: 60 mm (2 3/8")
 shaft OD 8 mm (5/16")
 packing: 1,000 pieces/carton

article no. KNK0908

with cable tie
 length: 90 mm (3 1/2")
 shaft OD 8 mm (5/16")
 packing: 1,000 pieces/carton

article no. KNK1208

with cable tie
 length: 120 mm (4 3/4")
 shaft OD 8 mm (5/16")
 packing: 1,000 pieces/carton

Hold-Down-Dowel

for safe fastening of insulation and wire mesh



article no. NH0608

length: 60 mm (2 3/8")
 shaft OD 8 mm (5/16")
 packing: 100 pieces/bag
 1,000 pieces/carton

article no. NH0908

length: 90 mm (3 1/2")
 shaft OD 8 mm (5/16")
 packing: 100 pieces/bag
 1,000 pieces/carton

article no. NH1208

length: 120 mm (4 3/4")
 shaft OD 8 mm (5/16")
 packing: 100 pieces/bag
 1,000 pieces/carton

Fastening Hooks

for safe and sound reduced installation of metal and plastic tubes



article no. DH0606

for tubes with an OD up to 30 mm (1")
 length: 60 mm (2 3/8")
 shaft OD 6 mm (1/4")
 packing: 100 pieces/bag
 1,000 pieces/carton

article no. DH0608

for tubes with an OD up to 40 mm (1 1/2")
 length: 60 mm (2 3/8")
 shaft OD 8 mm (5/16")
 packing: 50 pieces/bag
 1,000 pieces/carton

article no. DH0908

for tubes with an OD up to 40 mm (1 1/2")
 length: 90 mm (3 1/2")
 shaft OD 8 mm (5/16")
 packing: 50 pieces/bag
 1,000 pieces/carton

article no. DH1208

for tubes with an OD up to 40 mm (1 1/2")
 length: 120 mm (4 3/4")
 shaft OD 8 mm (5/16")
 packing: 50 pieces/bag
 1,000 pieces/carton

article no. DHM

for tubes with an OD up to 55 mm (2")
 length: 108 mm (4 1/4")
 shaft OD 8 mm (5/16")
 packing: 50 pieces/bag
 1,000 pieces/carton



article no. DDH0606

for tubes with an OD up to 30 mm (1")
 length: 60 mm (2 3/8")
 shaft OD 6 mm (1/4")
 packing: 100 pieces/bag
 1,000 pieces/carton

article no. DDH0608

for tubes with an OD up to 40 mm (1 1/2")
 length: 60 mm (2 3/8")
 shaft OD 8 mm (5/16")
 packing: 50 pieces/bag
 1,000 pieces/carton

article no. DDH0908

for tubes with an OD up to 40 mm (1 1/2")
 length: 90 mm (3 1/2")
 shaft OD 8 mm (5/16")
 packing: 50 pieces/bag
 1,000 pieces/carton

article no. DDH1208

for tubes with an OD up to 40 mm (1 1/2")
 length: 120 mm (4 3/4")
 shaft OD 8 mm (5/16")
 packing: 50 pieces/bag
 1,000 pieces/carton

article no. DDHM1208

for tubes with an OD up to 60 mm (2")
 length: 120 mm (4 3/4")
 shaft OD 8 mm (5/16")
 packing: 50 pieces/bag
 500 pieces/carton

Miscellaneous



article no. AC1620

for insulation
 for tubes with an OD
 16 - 20 mm (1/2" - 5/8")
 packing: 1,000 pieces/carton



article no. MTG1620

Mounting Tool for AC1620
 packing: 1 piece/carton



article no. PED

Expansion Joint Plate
 150 mm (6") high
 8 mm (5/16") thick
 packing: 8 rolls à 50 m (164 ft) =
 400 m (1,312 ft) / PE bag



article no. DFP

Expansion Joint Profile
 with adhesive tape
 length: 2 m (6 1/2 ft)
 packing: 50 pieces à 2 m (6 1/2 ft) =
 100 m (325 ft)/carton



article no. SR24/300

Protective Sleeve
 for tubes with an OD 18 mm (5/8")
 outside OD 24 mm (1")
 length: 300 mm (12")
 packing: 50 pieces/carton



article no. SR28/300

Protective Sleeve
 for tubes with an OD 22 mm (3/4")
 outside OD 28 mm (1 1/8")
 length: 300 mm (12")
 packing: 50 pieces/carton



article no. NPPED

Expansion Joint Plate for snap-in panels
 130 mm (5 1/8") high; 10 mm (6/16") thick
 foot 24 mm (15/16") thick
 length: 2 m (6 1/2 ft)
 packing: 25 pieces à 2 m = 50 m/carton



article no. PF Plopfix

color: black
 packing: 1 set:
 100 pieces/carton
 incl. 1 Plopfix-Setter PFS



article no. T-Anchor

fastening of Winkler U-Rails on insulation
 (Mounting Tool available)
 packing: 500 pieces/carton




article no. VH27

Manifold Holder
 for Manifolds OD
 29 - 35 mm (1" - 1 1/2")
 with small retaining clips
 offset 27 mm (1 1/16")
 packing: 10 pairs/carton

article no. VH45

Manifold Holder
 for Manifolds OD
 29 - 35 mm (1" - 1 1/2")
 with small retaining clips
 offset 45 mm (1 3/4")
 packing: 10 pairs/carton



article no. NR5026

for fixing heating tubes into snap-in panels
 distance between fixing points: 50 mm (2")
 packing: 100 pieces/bag
 5,000 pieces/carton

article no. NR7526

for fixing heating tubes into snap-in panels
 distance between fixing points: 75 mm (3")
 packing: 100 pieces/bag
 1,000 pieces/carton


Pipe installation possibilities



installation with mounting rail



installation with staple system



installation on wire mesh

Do you have any questions? Would you like to place an order? Contact us!
Our sales team will gladly assist you!

Heike Flesch

Tel. +49 (0)7551 91 88 - 619
hf@winkler-technik.de

Responsible for Australia, Belgium, Netherlands, Luxemburg, Canada, Germany, United Kingdom, Iran, Ireland, Israel, Croatia, Mexico, New Zealand, Slovenia, South Africa, Czech Republic, Turkey, Hungary, USA, France

Bernd Picker

Tel. +49 (0)7551 91 88 - 618
bp@winkler-technik.de

Responsible for Denmark, Germany, Estonia, Finland, Greece, Iceland, Lithuania, Norway, Austria, Sweden

Anatol Stein

Tel. +49 (0)7551 91 88 - 615
as@winkler-technik.de

Responsible for Belgium, Netherlands, Luxemburg, Germany, United Kingdom, Ireland, Italy, Poland, Portugal, Russia, Switzerland, Spain, France, Tunisia

This is why we are the right partner for you:

You're important to us!

That means it's important for us to listen to you, while fostering a successful partnership and gladly offering advice. Benefit from our long-standing experience along with our enormous network in the HVAC sector.

You receive highest quality manufactured in Germany and Switzerland at totally fair prices!

Whether you need mounting rails, staple systems or wire mesh clips for wall heating, ceiling cooling or surface heating - Winkler Technik has the highest quality standards, supplies on time and without fault. You look after what is important to you, while we organize the transport of your products ordered.

We have devoted ourselves to German engineering expertise for over 35 years, and with our products, you gain an exceptional image in the market.

Our customer satisfaction is an outstanding 99 %.

What can we do for you?



